

PTO/SB/08A/B (09-06)
Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Sub	stitute for form 1449/PTO			Complete if Known	
				Application Number	10/583,280 - Conf. # 2639
l IN	VFORMATION	N DI	SCLOSURE	Filing Date	June 16, 2006
l s	TATEMENT	BY /	APPLICANT	First Named Inventor	Charles Sawyers
				Art Unit	1636
	(Use as many sh	e ets as	necess ary)	Examiner Name	Nancy S. Vogel
Sheet	Sheet 1 of 7		Attorney Docket Number	58086-232451	

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No.	Document Number  Number-Kind Code <sup>2</sup> ( if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A1	4.097.578	06-27-1978	Perronnet et al.	rigures Appear
	A2	4,399,216	08-16-1983	Axel et al.	
	A3	4,559,157	12-17-1985	Smith et al.	
	A4	4,608,392	08-26-1986	Jacquet et al.	
	A5	4,820,508	04-11-1989	Wortzman	
	A6	4,938,949	07-03-1990	Borch et al.	
	A7	4,992,478	02-12-1991	Geria	
	A8	5,010,182	04-23-1991	Brake et al.	
	A9	5,411,981	05-02-1995	Gaillard-Kelly et al.	
	A10	5,434,176	07-18-1995	Claussner et al.	
	A11	5,656,651	08-12-1997	Sovak et al.	
	A12	5,705,654	01-06-1998	Claussner et al.	
	A13	5,750,553	05-12-1998	Claussner et al.	
	A14	5,985,868	11-16-1999	Gray	
	A15	6,087,509	07-11-2000	Claussner et al.	
	A16	6,479,063	11-12-2002	Weisman et al.	
	A17	6,506,607	01-14-2003	Shyjan	
	A18	2004/0009969	01-15-2004	Cleve et al.	
	A19	2002/0133833 A1	09-19-2002	Sawyers et al.	
	A20	6,828,471	12-07-04	Sawyers et al.	1

Examiner	Date
Signature	Considered
	Considered

PTO/SB/08A/B (09-06)

Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
associates a valid CMR control association as valid CMR control association.

Sut	estitute for form 1449/PTO			Complete if Known		
				Application Number	10/583,280 - Conf. # 2639	
11	<b>VEORMATION</b>	I DI	SCLOSURE	Filing Date	June 16, 2006	
s	STATEMENT BY APPLICANT			First Nemed Inventor	Charles Sawyers	
				Art Unit	1636	
	(Use as many sh	ets a	necess ary)	Examiner Name	Nancy S. Vogel	
Sheet	Sheet 2 of 7		Attorney Docket Number	58086-232451		

			FOREIGN	PATENT DOCUMENTS		
Examiner Initials*	Cite No.	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind  Code <sup>3</sup> (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Linas, Where Relevant Passages or Relevant Figures Appear	T°
	B1	EP 362,179	04-04-1990	Smithkline Beecham Corporation		
	B2	WO 00/17163 (with English abstract)	03-30-2000	Yamanouchi Pharmaceutical Co., Ltd., et al.		П
	В3	WO 90/13646 (with English abstract)	11-15-1990	Transgene S.A. Achstetter, et al.		П
	B4	WO 97/00071	01-03-1997	Biophysica Foundation Sovak, et al.		
	B5	WO 2005/099693	10-27-2005	The Regents of the University of California		П
	В6	WO 2006/124118	11-23-2006	The Regents of the University of California		
	B7	WO 2005/059109	06-30-2005	The Regents of the University of California		П

"EXAMINED: Initial interests consistent, whether or not dation is reconstructed with MEES 950. Then line through dation if not inconstructed measurements and not consistent funds (once yield his own white demonstration periods." "Applicants under coticion designation number (convolute). See yield Code of USFTO Peter Dot one and the properties of the pr

Examiner Initials	r Cite Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item to magazine, journ al, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, cit and/or country where published.								
	C1	C1 Karp et al., Cancer Res. 56: 5547-5556.							
	C2 Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishe (1995).								
	C3 Sambrook et al., Molecular Cloning: A Laboratory Manual 2 <sup>rd</sup> edition (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.								
	C4	C4 Chang et al., Science 240 (4850), 324-326 (1988).							
	C5	NM_000044-http://www.ncbi.nlm.nih.gov/80/entrez/viewer.fcgi?cmd=Retrieve&db=n ucleotide&list_udis=21322251&dopt=GenBank&term=sapiens+AR+androgen+recept or+prostate+cancer&dty=1>gi:21322251, printed October 24, 2007.							
	C6	Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991).							
	C7	Graham and van der Eb, Virology, 52:456-467.	Т						
	C8	Keown et al., Methods in Enzymology, 185:527-537 (1990).							
	C9	Mansour et al., Nature, 336:348-352 (1988).	Т						
	C10	Muller et al., 1991, Mol. & Cell. Bio. 11:1785.							
	C11	11 Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980).							
	C12	Stinchcomb et al., Nature, 282:39 (1979).							

Signature

Considered

	Under the Paperwork Reduc	tion Act	of 1995, no persons are require	d to respond to a collection of inf	ormation unlass it contains a valid OMB control number		
Sut	stitute for form 1449/PTO			Complete if Known			
				Application Number	10/583,280 - Conf. # 2639		
11	NFORMATION	I DI	SCLOSURE	Filing Date	June 16, 2006		
S	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Charles Sawyers		
				Art Unit	1636		
	(Use as many she	ets as	necess ary)	Examiner Name	Nancy S. Vogel		
Sheet 3 of 7		Attorney Docket Number	58086-232451				

C1		
C1	4 Tschumper et al., Gene, 10: 157 (1980).	
C1		
C1	cancer. Nat Rev Cancer 1, 34-45 (2001).	
C1	(2002).	
C1	Urology 60, 132-8; discussion 138-9 (2002).	Г
C1	treated with androgen antagonist. Cancer Res 59, 2511-5 (1999).	
C2	cancer: Cancer and Leukemia Group B Study 9663. J Clin Oncol 21, 2673-8 (2003).	
C2	progression of human prostate cancer. Nat Genet 9, 401-6 (1995).	
C2	independent prostate cancer. N Engl J Med 332, 1393-8 (1995).	П
C2	receptor of human LNCaP cells affects steroid binding characteristics and response to anti-androgens. Biochem Biophys Res Commun 173, 534-40 (1990).	
C2	androgen receptor (AR(cor)) derived from an androgen-independent prostate cancer.  J Med Chem 45, 1439-46 (2002).	
C2	5 Craft, N., Shostak, Y., Carey, M. & Sawyers, C.L. A mechanism for hormone- independent prostate cancer through modulation of androgen receptor signaling by the HER-2/neu tyrosine kinase. Nat Med 5, 280-5 (1999).	
C2	6 Gioeli, D. et al. Androgen receptor phosphorylation. Regulation and identification of the phosphorylation sites. J Biol Chem 277, 29304-14 (2002).	
C2	mitogen-activated protein kinase. Science 270, 1491-4 (1995).	
C2	signaling to the estrogen receptor. Mol Cell Biol 20, 5041-7 (2000).	
C2	recruitment of SRC-1 to estrogen receptor beta through phosphorylation of activation function AF-1. Mol Cell 3, 513-9 (1999).	
C3	recurrence after androgen deprivation therapy. Cancer Res 61, 4315-9 (2001).	
CS	in primary prostate cancer. Am J Pathol 161, 1467-74 (2002).	
C3	2 Glass, C.K. & Rosenfeld, M.G. The coregulator exchange in transcriptional functions of nuclear receptors. Genes Dev 14, 121-41 (2000).	

_		
Examiner	Date	
Signature	Considered	i

PTO/SB/08A/B (09-06)
Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

	Under the Paperwork Reduc	tion Act	of 1995, no persons are required	to respond to a collection of information unless it contains a valid OMB control number		
Sut	estitute for form 1449/PTO			Complete if Known		
				Application Number	10/583,280 - Conf. # 2639	
- 11	VFORMATION	I DI	SCLOSURE	Filing Date	June 16, 2006	
S	TATEMENT I	3Y /	APPLICANT	First Named Inventor	Charles Sawyers	
				Art Unit	1636	
	(Use as many sh	eets as	s necess ary)	Examiner Name	Nancy S. Vogel	
Sheet	4	of	7	Attorney Docket Number	58086-232451	

C33	Raffo, A.J. et al. Overexpression of bcl-2 protects prostate cancer cells from apoptosis in vitro and confers resistance to androgen depletion in vivo. Cancer Res 55, 4438-45 (1995).	
C34	McDonnell, T.J. et al. Expression of the protooncogene bol-2 in the prostate and its association with emergence of androgen-independent prostate cancer. Cancer Res 52, 6340-4 (1992).	
C35	Kinoshita, H. et al. Methylation of the androgen receptor minimal promoter silences transcription in human prostate cancer. Cancer Res 60, 3623-30 (2000).	
C36	Shang, Y., Myers, M. & Brown, M. Formation of the androgen receptor transcription complex. Mol Cell 9, 601-10 (2002).	
C37	Zhau, H.Y. et al. Androgen-repressed phenotype in human prostate cancer. Proc Natl Acad Sci U S A 93,15152-7 (1996).	
C38	Wainstein, M.A. et al. CWR22: androgen-dependent xenograft model derived from a primary human prostatic carcinoma. Cancer Res 54, 6049-52 (1994).	
C39	Ellis, W.J. et al. Characterization of a novel androgen-sensitive, prostate-specific antigen-producing prostatic carcinoma xenograft: LuCaP 23. Clin Cancer Res 2, 1039-48 (1996).	
C40	Horoszewicz, J.S. et al. LNCaP model of human prostatic carcinoma. Cancer Res 43, 1809-18 (1983).	
C41	Klein, K.A. et al. Progression of metastatic human prostate cancer to androgen independence in immunodeficient SCID mice. Nat Med 3, 402-8 (1997).	
C42	Perou, C.M. et al. Molecular portraits of human breast tumors. Nature 406, 747-52 (2000).	
C43	Gregory, C.W., Johnson, R.T., Jr., Mohler, J.L., French, F.S. & Wilson, E.M. Androgen receptor stabilization in recurrent prostate cancer is associated with hypersensitivity to low androgen. Cancer Res 61, 2892-8. (2001).	
C44	Huang, Z.Q., Li, J. & Wong, J. AR possess an intrinsic hormone-independent transcriptional activity. Mol Endocrinol 16, 924-37 (2002).	
C45	Matias, P.M. et al. Structural evidence for ligand specificity in the binding domain of the human androgen receptor. Implications for pathogenic gene mutations. J Biol Chem 275, 26164-71 (2000).	
C46	Lobaccaro, J.M. et al. Molecular modeling and in vitro investigations of the human androgen receptor DNA-binding domain: application for the study of two mutations. Mol Cell Endocrinol 118, 137-47 (1996).	
C47	Migliaccio, A. et al. Steroid-induced androgen receptor-oestradiol receptor beta-Src complex triggers prostate cancer cell proliferation. Embo J 19, 5406-17 (2000).	
C48	Kousteni, S. et al. Nongenotropic, sex-nonspecific signaling through the estrogen or androgen receptors: dissociation from transcriptional activity. Cell 104, 719-30 (2001).	
C49	Manolagas, S.C., Kousteni, S. & Jilka, R.L. Sex steroids and bone. Recent Prog Horm Res 57, 385-409 (2002).	

Examiner	Date	$\neg$
	Considered	

PTO/S8/08A/B (09-06)
Approved for use through 03/31/2007. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Su	bstitute for form 1449/P			to respond to a collection of information unless it contains a vatid OMB control number  Complete if Known		
"				Application Number	10/583,280 - Conf. # 2639	
11	NFORMATIO	ON DIS	SCLOSURE	Fifing Date	June 16, 2006	
5	TATEMEN'	T BY A	PPLICANT	First Named Inventor	Charles Sawyers	
				Art Unit	1636	
	(Use as many	she ets as	necess ary)	Examiner Name	Nancy S. Vogel	
Sheet	5	of	7	Attorney Docket Number	58086-232451	

C50	DePrimo, S.E. et al. Transcriptional programs activated by exposure of human prostate cancer cells to androgen. Genome Biol 3, RESEARCH0032 (2002).	
C51	Masiello, D., Cheng, S., Bubley, G.J., Lu, M.L. & Balk, S.P. Bicalutamide functions as an androgen receptor antagonist by assembly of a transcriptionally inactive receptor. J Biol Chem 277, 28321-6 (2002).	
C52	Edwards, J., Krishna, N.S., Grigor, K.M. & Bartlett, J.M. Androgen receptor gene amplification and protein expression in hormone refractory prostate cancer. Br J Cancer 89, 552-6 (2003).	
C53	Laitinen, S., Karhu, R., Sawyers, C.L., Vessella, R.L. & Visakorpi, T. Chromosomal aberrations in prostate cancer xenografts detected by comparative genomic hybridization. Genes Chromosomes Cancer 35, 66-73 (2002).	
C54	Grad, J.M., Dai, J.L., Wu, S. & Burnstein, K.L. Multiple androgen response elements and a Myc consensus site in the androgen receptor (AR) coding region are involved in androgen-mediated up-regulation of AR messenger RNA. Mol Endocrinol 13, 1896-911 (1999).	
C55	Craft, N. et al. Evidence for clonal outgrowth of androgen-independent prostate cancer cells from androgen-dependent tumors through a two-step process. Cancer Res 59,5030-6 (1999).	
C56	Ellwood-Yen, K. et al. Myc-driven murine prostate cancer shares molecular features with human prostate tumors. Cancer Cell 4, 223-38 (2003).	
C57	Wang, S. et al. Prostate-specific deletion of the murine Pten tumor suppressor gene leads to metastatic prostate cancer. Cancer Cell 4, 209-21 (2003).	
C58	Shiau, A.K. et al. The structural basis of estrogen receptor/coactivator recognition and the antagonism of this interaction by tamoxifen. Cell 95, 927-37 (1998).	
C59	Norris, J.D. et al. Peptide antagonists of the human estrogen receptor. Science 285, 744-6 (1999).	
C60	Baek, S.H. et al. Exchange of N-CoR corepressor and Tip60 coactivator complexes links gene expression by NF-kappaB and beta-amyloid precursor protein. Cell 110, 55-67 (2002).	
C61	Shang, Y. & Brown, M. Molecular determinants for the tissue specificity of SERMs. Science 295, 2465-8 (2002).	
C62	Schellhammer, P.F. et al. Prostate specific antigen decreases after withdrawal of antiandrogen therapy with bicalularmide of flutamide in patients receiving combined androgen blockade. J Urol 157, 1731-5 (1997).	
C63	Sack, J.S. et al. Crystallographic structures of the ligand-binding domains of the androgen receptor and its T877A mutant complexed with the natural agonist dihydrotestoterone. Proc Natl Acad Sci U S A 98, 4904-9 (2001).	
C64	Zhou, Z.X., Sar, M., Simental, J.A., Lane, M.V. & Wilson, E.M. A ligand-dependent bipartite nuclear targeting signal in the human androgen receptor. Requirement for the DNA-binding domain and modulation by NH2-terminal and carboxyl-terminal sequences. J Biol Chem 269, 13115-23 (1994).	

Examiner	Date
Signature	Considered

PTO/SB/08A/B (09-06)
Approved for use through 03/31/2007. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE respond to a collection of information unless it contains a valid OMB control number.

	Olidei Ilie Papelwork Reduc	CON MUC	ui 1990, no persons ara requireu	to respond to a conscitori or the	Unhadon Liness it contains a valid OMB control number
Sut	stitute for form 1449/PTO				Complete if Known
				Application Number	10/583,280 - Conf. # 2639
- 11	<b>VEORMATION</b>	1 DI	SCLOSURE	Filing Date	June 16, 2006
S	TATEMENT I	3Y /	APPLICANT	First Named Inventor	Charles Sawyers
				Art Unit	1636
	(Use as many sh	e ets as	necess ary)	Examiner Name	Nancy S. Vogel
Sheet	6	of	7	Attorney Docket Number	58086-232451

	C65	Chen, C.D., Welsbie, D.S., Tran, C., Baek, S.H., Chen, R., Vessella, R., Rosenfeld, M.G., and Sawyers, C.L., Molecular determinants of resistance to antiandrogen therapy, Nat. Med., 10: 33-39, 2004.	
	C66	The Pharmacological Basis of Therapeutics, Goodman and Gilman, eds., Macmillan Publishing Co., New York.	
	C67	The Practice of Medicinal Chemistry, Camille G. Wermuth et al., Ch 31, (Academic Press, 1996).	
L	C68	Design of Prodrugs, edited by H. Bundgaard, (Elsevier, 1985).	
	C69	A Textbook of Drug Design and Development, P. Krogsgaard-Larson and H. Bundgaard, eds. Ch 5, pgs 113-191 (Harwood Academic Publishers, 1991).	
	C70	Remington: The Science and Practice of Pharmacy, 19 <sup>th</sup> Edition, Gennaro (ed.) 1995, Mack Publishing Company, Easton, PA.	
	C71	Teutsch, G.; Goubet, F.; Battmann, T.; Bonfils, A.; Bouchoux, F.; Cerede, E.; Gofflo, D.; Gaillard-Kelly, M.; Philibert. D. J. Steroid Biochem. Molec. Biol. 1994, 48, 111-119.	
	C72	Van Dort, M. E.; Robins, D. M.; Wayburn, B. J. Med. Chem. 2000, 43, 3344-3347.	
	C73	Homma.S., et al., "Differential levels of human leukocyte antigen-class I, multidrug- resistance 1 and androgen receptor expressions in untreated prostate cancer cells: the robustness of prostate cancer", Oncol. Rep. 18 (2), 343-346 (2007).	
	C74	Cai,C., et al., "c-Jun has multiple enhancing activities in the novel cross talk between the androgen receptor and Ets variant gene 1 in prostate cancer", Mol. Cancer Res. 5 (7), 725-735 (2007).	Г
	C75	Su,Q.R., et al., "Polymorphisms of androgen receptor gene in childhood and adolescent males with first-onset major depressive disorder and associationwith related symptomatology", Int. J. Neurosci. 117 (7), 903-917 (2007).	
	C76	Brockschmidt,F.F., et al., "The two most common alleles of the coding GGN repeat in the androgen receptor gene cause differences in protein function", J. Mol. Endocrinol. 39 (1), 1-8 (2007).	
	C77	Hamilton-Reeves, J.M., et al. "Isoflavone-rich soy protein isolate suppresses androgen receptor-beta expression without altering estrogen receptor-beta expression or serum hormonal profiles in men at high risk of prostate cancer", J. Nutr. 137 (7), 1769-1775 (2007).	
	C78	Sweet, C.R., et al., " A unique point mutation in the androgen receptor gene in a family with complete androgen insensitivity syndrome", Fertil. Steril. 58 (4), 703-707 ((1992).	
	C79	Batch, J.A., et al., "Androgen receptor gene mutations identified by SSCP in fourteen subjects with androgen insensitivity syndrome", Hum. Mol. Genet. 1 (7), 497-503 (1992).	
	C80	Wooster,R., et al., "A germline mutation in the androgen receptor gene in two brothers with breast cancer and Reifenstein syndrome", Nat. Genet. 2 (2), 132-134 (1992).	

Examiner	Date	
Signature	Considered	
Oightitide	Considered	

PTO/SB/08A/B (09-06)

Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
espond to a collection of information unless it contains a valid OMB control number.

Sub	stitute for form 1449/PTO			Complete if Known	
				Application Number	10/583,280 - Conf. # 2639
IN.	<b>IFORMATION</b>	1 DI	SCLOSURE	Filing Date	June 16, 2006
s	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Charles Sawyers
				Art Unit	1636
	(Use as many she	ets as	necess ary)	Examiner Name	Nancy S. Vogel
Sheet	7	of	7	Attorney Docket Number	58086-232451

C81	Saunders, P.T., et al., "Point mutations detected in the androgen receptor gene of three men with partial androgen insensitivity syndrome", Clin. Endocrinol. (Oxf) 37 (3), 214-220 (1992).	
C82	Zoppi, S., et al. " Amino acid substitutions in the DNA-binding domain of the human androgen receptor are a frequent cause of receptor-binding positive androgen resistance", Mol. Endocrinol. 6 (3), 409-415 (1992).	
C83	International Search Report issued in PCT Application PCT/US2006/011417, mailed on July 3, 2006.	
C84	International Search Report issued in PCT Application PCT/US2005/005529, mailed on November 10, 2005.	
C85	International Search Report issued in PCT Application PCT/US2004/042221, mailed on June 20, 2005.	
C86	Wang, Long G., et al., "Overexpressed androgen receptor linked to p21WAF1 silencing may be responsible for androgen independence and resistance to apoptosis of a prostate cancer cell line", Cancer Research 61 (20), pp. 7544-7551 (October 15, 2001).	
C87	Shi, Xu-Bao, et al., "Functional analysis of 44 mutant androgen receptors from human prostate cancer", Cancer Research 62 (5), pp. 1496-1502 (March 1, 2002).	
C88	Navone, N. M., et al., "Model Systems of Prostate Cancer: Uses and Limitations" Cancer Metastasis, Kluwer Academic Publishers, Dordrecht, NL, 17 (4), 1999, pp. 361-371.	

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner		Date	
Signature	/Sean Aeder/ (08/10/2009)	Considered	
Oignature	/Sean Aedel/ 100/10/20031	Considered	

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English languaga Translation is attached.